

## [GNFAC Avalanche Forecast for Mon Feb 7, 2022](#)

Good morning. This is Dave Zinn with the Gallatin National Forest Avalanche Forecast on Monday, February 7th, at 7:00 a.m. This information is sponsored by [Cooke City Motorsports](#), [Yellowstone Ski Tours](#) and [Werner Wealth Management \(Advisors with DA Davidson\)](#). This forecast does not apply to operating ski areas.

### **AVALANCHE FATALITY**

We are sad to report that yesterday, February 6th, a snowmobiler was caught by an avalanche in the Lionhead area outside of West Yellowstone. The rider was carried into trees and life-saving efforts on-scene were unsuccessful. Doug responded with the Gallatin County Sherriff Search and Rescue team yesterday and will return to the accident site today to complete an investigation. Our deepest condolences go out to the family and friends of the rider.

We will release further details as they are available.

### Mountain Weather

There is no new snow this morning. Temperatures are in the low teens to low 20s F and winds are blowing 10-25 mph from the west. Today, temperatures will be 30-40 degrees F with strong winds focused around Bozeman, Big Sky and Cooke City blowing 15-30 mph from the west to southwest. Light snow will return to the area tomorrow morning.

### Snowpack and Avalanche Discussion



#### Cooke City

Snowfall between Friday night to Sunday morning dropped 12-14" of snow in the mountains around Cooke City with up to 0.9" of [snow water equivalent](#) (SWE). Human-triggered avalanches are likely on slopes where 15-20 mph winds are transporting this snow into unstable slabs. Alex saw evidence of recent natural avalanches on Miller Mountain and explained in his [video](#) yesterday that the new and drifted snow is sitting on top of a weak layer of facets creating dangerous avalanche conditions. Other skiers in the Cooke City area observed recent [natural avalanches on Woody Ridge](#) and just outside the advisory area in [Yellowstone National Park](#). All of these avalanches are failing on weak layers of snow now buried 18-24" deep ([photo](#)). Avoid wind-loaded slopes where avalanches are likely, and the danger is [CONSIDERABLE](#). Avalanches are possible on non-wind-loaded slopes and the danger is [MODERATE](#). Carefully evaluate the snowpack and avoid areas with terrain traps that would amplify the consequences of an avalanche.



#### Northern Gallatin

Two nights ago, 4" of snow fell in the Northern Gallatin Range equal to 0.3" SWE adding to the 10" earlier in the week. The wind increased late yesterday afternoon and will continue to transport recent snow into unstable

drifts where avalanches large enough to injure or bury climbers, skiers and riders are possible. On Saturday, a group in the Flanders drainage witnessed snow pouring off an ice climb that “probably would have slammed a climber off the route” ([details](#)). Today, carefully assess the snowpack paying special attention for signs of wind-loading such as blowing snow and shooting cracks in the snowpack. Avoid terrain where features like trees, cliffs and rocks act as terrain traps and smaller avalanches would be dangerous. Human-triggered avalanches are possible today, and danger is [MODERATE](#).



Bridger  
Range

Madison  
Range

Southern  
Gallatin

Lionhead  
Range

Island  
Park

Sadly, a rider triggered a fatal avalanche on Ski Hill in the Lionhead area yesterday. The shallow slide broke across the slope on a steep rollover and the rider was swept into trees and partially buried. Unfortunately, life-saving efforts on-scene were unsuccessful ([limited details and photos](#)). Nearby, a different group triggered a small, relatively harmless avalanche that failed 12” deep on buried weak layers ([details and photos](#)). In the Southern Gallatin Range a group of skiers got a “whumph” on a small, isolated slope at low elevations, another indicator of weaker snow. Large avalanches in the West Yellowstone area and near Big Sky and in the Bridger Range are unlikely with the above activity being the tragic exception to overall stability. Additionally, these events signify more trouble to come when the wind blows or snow returns.

There is not much soft snow left for transport in the Northern Madison and Bridger Ranges, but windy conditions today may create small drifts adding to those formed this weekend where you could find isolated instabilities especially where they are combined with buried weak-layers 6-18” under the snow surface ([photo](#)). Assess the snowpack for localized instabilities prior to entering steep terrain and evaluate the terrain for features that amplify the consequences of small avalanches. The danger is rated [LOW](#).

If you get out, please send us your observations no matter how brief. You can submit them via our [website](#), email ([mtavalanche@gmail.com](mailto:mtavalanche@gmail.com)), phone (406-587-6984), or Instagram (#gnfacobs).

## King and Queen of the Ridge Results

Thank you and great work to everyone who participated in this year’s King and Queen of the Ridge event. This year we set a fund-raising record of \$29,345! We are greatly appreciative of the support from everyone who hiked, donated, and raised money for The Friends of GNFA. The King of the ridge this year is **Casey Bloomer** with 30 hikes, and Queen is **Jennifer Allen** with 22 hikes! [Full Results Here](#).

This year's top 3 fundraisers were **Matthew Sebren** (1) and **Dash Rodman** (3) of team Grassy Mtn. Yurt/Cooke City Exxon, and **Nick English** (2) of The Mountain Project team.

## Upcoming Education Opportunities

See our [education calendar](#) for an up-to-date list of all local classes. Here are a few select upcoming

**February 10th, Forecaster Chat at Uphill Pursuits**, “Beyond the Beacon” with GNFA Forecaster Dave Zinn

**Every Saturday near Cooke City**, 10 a.m.-3 p.m. FREE snowpack update and transceiver/rescue training. Stop by for 20 minutes or more at the Round Lake Warming Hut.